The New Kuwait German Laboratory
مختبر الكويتي الالماني الجديد

The State of Kuwait

Patient Name	: Rasha Ghazi Atallan Alshammari	Lab ID	: AO
		Patient File	: 299580
Civil ID	: 287100800065	Reg Date	: 20-11-2021
Passport No	:	Sampling Date	: 21-11-2021 01:00 AM
Age/sex	: 34/F	Result Date	: 20-11-2021 8:00 PM
Nationality	: KUWAIT	Serial Number	: LBAO-09-25-042875
Ref. Drs	: LAB		

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type : VTM with Nasopharyngeal Swab

SARS COV-2(COVID19) : **Negative**

This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Negative :

Methodology: RT PCR(NAAT)

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)

مختبر الكويتي الالماني الجديد
The New Kuwait German Laboratory

Dr.Nermin Raafat
Doctors Signature